THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:


1. A compound of the formula (I)

wherein:

10

15

R₂ is selected from hydrogen, hydroxyl, O-alkyl, O-alkenyl, O-benzoyl, O-dibenzoyl, O-alkanoyl, O-alkenoyl, O-aryl, O-heterocyclic, O-heteroaryl or




wherein R₅ and R₇ are independently be selected from hydrogen, alkanoyl, alkenoyl, dibenzoyl, benzoyl or benzoyl alkyl substituted alkanoyl; R₃ is selected from hydroxyl, O-alkanoyl, O-alkenoyl, O-benzoyl, O-dibenzoyl, O-alkyl, O-alkenyl, O-aryl, O-heterocyclic or O-heteroaryl; R₄ is selected from -CH₂OH, COOH, CH₂OCOCH₃, COO alkyl, COO aryl, CH₂COO alkyl, COO-heterocyclic, COO-heteroaryl, CH₂-O aryl, CH₂O heterocyclic or CH₂O heteroaryl; R₆ is selected from hydrogen or



25

R₇ is selected from hydrogen or alkyl; or pharmaceutically acceptable salts thereof with the proviso that when R₂ is OH, R₃ is OH, R₄ is CH₂OH, R₆ is xylopyranosyl, R₁ cannot be 4.

A compound as claimed in claim 1 wherein R₂ is hydrogen,
benzoyl, dibenzoyl, tigloyl or



wherein R₅ and R₇ are selected from hydrogen, tigloyl, benzoyl or benzoyl alkyl substituted alkanoyl.

- 3. A compound as claimed in claim 1 wherein R₃ is selected from O-acetyl, O-benzoyl, O-dibenzoyl, O-isobutyryl or O-tigloyl.
 - 4. A compound as claimed in claim 1 wherein R₄ is selected from CH₂OH, O-acetyl or hydroxy.
- A compound as claimed in claim 1 wherein R₂ is arabino pyranosyl, 3 (3-benzoyl-2-methylbutanoyl)-4-benzoyl-α-L-arabinopyranosyl, O-benzoyl, O-dibenzoyl, O-tigloyl, 3,4 dibenzoyl α-L-arabinopyranosyl, 3-(3-benzoyl-2 methylbutyryl-4-tigloyl-α-L-arabinopyranosyl, 3-tigloyl-4-(3-benzoyl-2 methylbutyryl)-α-L-arabinopyranosyl, 3-(3-benzoyl-2 methyl butanoyl-4-benzoyl-α-L-arabinopyranosyl or 3-(3-benzoyl-2 methylbutyryl)-4-benzoyl-α-L-arabinopyranosyl.
 - 6. A compound as claimed in claim 1 wherein R_6 is methyl.
 - 7. 3-O-ß-D-xylopyranosyl(1 \rightarrow 3)-[ß-D-galactopyranosyl(1 \rightarrow 2)]-ß-D-glucuronopyranosyl-21-O-[3-(3-benzoyl-2-methylbutanoyl)-4-benzoyl- α -L-arabinopyranosyl]-22-O-acetyl barringtogenol C;
 - 8. 3-O- $\mbox{$(1\rightarrow 3)-[\mbox{$(1\rightarrow 2)]-$}.}$

5

15

25

- glucuronopyranosyl-21-O-benzoyl barringtogenol C;
- 9. 3-O-ß-D-xylopyranosyl(1→3)-[ß-D-galactopyranosyl(1→2)]-ß-D-glucuronopyranosyl-21-O-benzoyl-28-O-acetyl barringtogenol C;
- 10. 3-O-ß-D-xylopyranosyl(1→3)-[ß-D-galactopyranosyl(1→2)]-ß-D-glucuronopyranosyl-21-O-benzoyl-22-O-isobutyryl barringtogenol C:
- 11. 3-O-β-D-xylopyranosyl(1→3)-[β-D-galactopyranosyl(1→2)]-β-D-methylglucuronopyranosyl-21,22-O-dibenzoyl barringtogenol C;
- 12. 3-O-ß-D-xylopyranosyl(1→3)-[ß-D-galactopyranosyl(1→2)]-ß-D-glucuronopyranosyl-21, 22-O-dibenzoyl barringtogenol C;
- 13. 3-O-ß-D-xylopyranosyl(1→3)-[ß-D-galactopyranosyl(1→2)]-ß-D-methylglucuronopyranosyl-21-O-benzoyl-22-O-tigloyl barringtogenol C;
 - 14. 3-O-β-D-xylopyranosyl(1→3)-[β-D-galactopyranosyl(1→2)]-β-D-glucuronopyranosyl-21-O-benzoyl-22-O-tigloyl barringtogenol C;
 - 15. 3-O-ß-D-xylopyranosyl(1→3)-[ß-D-galactopyranosyl(1→2)]-ß-D-methylglucuronopyranosyl-21,22-O-tigloyl barringtogenol C;
 - 16. 3-O-β-D-xylopyranosyl(1→3)-[β-D-galactopyranosyl(1→2)]--D-glucuronopyranosyl-21,22-O-tigloyl barringtogenol C;
 - 17. 3-O-ß-D-xylopyranosyl(1→3)-[ß-D-galactopyranosyl(1→2)]-ß-D-glucuronopyranosyl-22-O-benzoyl barringtogenol C;
- 18. 3-O-ß-D-xylopyranosyl(1→3)-[ßD-galactopyranosyl(1→2)]-β-D-glucuronopyranosyl-21-O-[3,4-dibenzoyl-α-L-arabinopyranosyl]-22-O-acetyl barringtogenol C;
 - 19. 3-O-ß-D-xylopyranosyl(1 \rightarrow 3)-[ß-D-galactopyranosyl(1 \rightarrow 2)]-ß-D-glucuronopyranosyl-21-O-[3,4-dibenzoyl- α -L-arabinopyranosyl]-28-O-acetyl barringtogenol C;
 - 20. 3-O- $\$ -D-xylopyranosyl(1 \rightarrow 3)-[$\$ -D-galactopyranosyl(1 \rightarrow 2)]- $\$ -D-glucuronopyranosyl-21-O-[3-(3-benzoyl-2-methylbutyryl)-4-tigloyl- α -L-arabinopyranosyl]-22-O-acetyl barringtogenol C;
 - 21. 3-O-ß-D-xylopyranosyl(1→3)-[ß-D-galactopyranosyl(1→2)]-ß-D-
- 30 glucuronopyranosyl-21-O-[3-tigloyl-4-(3-benzoyl-2-methylbutyryl)-α-L-arabinopyranosyl]-22-O-acetyl barringtogenol C;
 - 22. 3-O-β-D-galactopyranosyl(1→2)-β-D-glucuronopyranosyl-21-O-[3-(3-

WO 2005/051969 PCT/AU2004/001660

65

benzoyl-2-methylbutyryl)-4-benzoyl- α -L-arabinopyranosyl]-22-O-acetyl barringtogenol C; or

23. 3-O-ß-D-xylopyranosyl(1 \rightarrow 3)-[ß-D-galactopyranosyl(1 \rightarrow 2)]-ß-D-glucuronopyranosyl-21-O-[3-(3-benzoyl-2-methylbutyryl)-4-benzoyl- α -L-arabinopyranosyl]-28-O-acetyl barringtogenol C.

5

10

- 24. A pharmaceutical composition for treatment and/or control of pain comprising a therapeutically effective amount of a compound of any one of claims 1 to 23 and a pharmaceutically acceptable carrier.
- 25. A pharmaceutical composition as claimed in claim 24 wherein the carrier is a pharmaceutically acceptable excipient.
 - 26. A method of treating and/or controlling pain which includes the step of administering to a subject in need of such treatment at least one compound as claimed in any one of claims 1 to 23.